

Going **Green**
Saving **Energy**



Eco Range
Conventional
Lighting Solutions

Akhand **JYOT**
Making Tomorrow Brighter



JYOT
Akhandjyot
Light & Power Products Pvt. Ltd.



About Us

Our Vision

- 1) Our Vision is to expand globally with a comprehensive products and services portfolio of LED based as well as Renewable Energy enabled Lighting and Consumer solutions namely INTELLIGENT & CONVENTIONAL DRIVERS, REFRIGERATORS, GEL BATTERIES, WATER PUMPS, SMART SWITCHES, SMART FANS & FAN LIGHTS etc...
- 2) Integrity, Trust & Cordial relationship with our customers and partners are the most important pillars of the structure we are building. We will strive and fully commit ourselves to endure them.
- 3) Embracing the changing dynamics of the industry and contributing towards energy efficient and eco-friendly solutions globally. By the end of the calendar year 2022, we intend to be a 1000 products company and our vision is to reach out to 50 countries of GCC & Africa.

Company's Business Profile

- 1) Conventional as well as Intelligent Lighting Solutions and Lighting products provider for Projects, Trade Channels & OEMs.
- 2) In the very near term, we shall also add SMART FANS and SMART SWITCHES in our Indian Products Portfolio alongside the comprehensive LIGHTING SOLUTIONS portfolio.
- 3) Providing Products / Solutions that are energy efficient, quick to install and easy to use.
- 4) Our capabilities include integrating renewable energy-based power generation systems to LED based Conventional Lighting Setup and we remain focused in this segment for Institutional & Residential segments.
- 5) Our group's combined ANNUAL GROSS REVENUES are likely to exceed US\$ 25 Million in the current FINANCIAL YEAR (2021 - 22) and we are likely to have a CAGR of almost 20% for the next 5 years. We intend to attain an approximate ANNUAL GROSS REVENUE of US\$ 200 Million by the end of CALENDAR YEAR 2027. We shall also be 1st among the few organizations that shall be fully integrated in the LIGHTING & CONSUMER ELECTRICALS business during this decade.
- 6) In India we shall have our OWN SALES & DISTRIBUTION setups at Ahmedabad, Bangalore, Hyderabad and Mumbai to comprehensively oversee coverage of the Western and Southern Indian Region.
- 7) In the overseas markets, we are already present in the UAE, Kenya, Djibouti, Somalia and Zambian markets directly and other neighbourhood markets indirectly. Eventually we be spread out to over 50 countries in the Middle Eastern and African subcontinents.
- 8) We stay committed to be a PLC before the end of the current decade.

Promoter Background:

- Of Indian Origin.
- Business Interests include LED based Lighting Product Assembling, Driver Manufacturing & Precious Metals Trading.

About Us

Company's Business Profile

Our Indian entities are:

- **Akhandjyot Energy & Power Products (Pvt) Ltd :**

(A manufacturing entity founded in the year 2015)

Their Motto :

DEVELOPMENT OF COST EFFECTIVE, APPLICATION SPECIFIC QUALITATIVE SOLUTIONS.

- **Akhandjyot Eclat (Pvt) Ltd :**

(A trade distribution entity founded in the year 2016)

Their Motto : CUSTOMER FIRST.

Our Core Belief

We prefer to follow the APPLE MODEL where we don't rush and spend on irrelevant innovation but INSTEAD FOCUS ON EFFECTIVE IMPLEMENTATION of VARIOUS CONSUMER FRIENDLY MEASURES vis a vis other market participant.

Our Values

- 1) We firmly adhere to the highest ethical and moral standards and insist that all our associates maintain the same standards of Integrity and Dependability.
- 2) We believe in disciplined and self - motivated people. To us Competence, Dependence and Ownership driven hard work are the 3 pillars on which we want our team to be built on.
- 3) We employ methodology of functioning that transpires in to optimum quality and efficiency.
- 4) We value long term partnerships and seek mutually rewarding relationships.

Our distinctive culture continues to attract exceptional people to our organisation and we are firm on touching the precipice of professionalism in our tasks

Why Us?

Customer First Approach: Strengthen customer partnerships by attempting to provide comprehensive solutions that can generate highest possible value with innovation and excellence.

Quality & Customer's Delight: Offering appropriate and application specific products and services that meet customer's expectations and addresses there subtle needs.

Trust (nurturing relationships): Laying the foundation for a dependability based long term relationship with each and every customer.

Passion (to innovate and excel): Our continuous efforts to offer ahead of the curve solutions and to understand the subtle and ever changing needs of the consumers in this highly trendy and rapidly evolving business.

Index

- **01 Eco LED Bulbs**
 - Conventional Wattage Range
 - Heavy Wattage Range
 - AC-DC Rechargeable Bulb
- **03 Eco LED Tube Lights**
 - T5 Series
 - T8 Series
- **04 Eco Panel Lights**
 - Recessed Backlit PC Panel Lights (Round / Square)
 - Recessed Edgelit Aluminium Panel Lights (Round / Square)
 - Surface Edgelit Aluminium Panel Lights (Round / Square)
 - 2 in 1 Colour LED Panel Lights Recessed Aluminium (Round / Square)
 - Flat Panel Lights (Square/Rectangle)
- **08 Eco SMD Down Lights**
 - Recessed Backlit Aluminium Down Lights (Round / Square)
- **09 Eco COB Spot Lights**
 - Adjustable COB Spot Lights (Aluminium)
 - Adjustable COB Spot Lights (PC)
 - Deep Cone Spot Lights
 - Luster Spot Lights
 - Omega Spot Lights
 - Zoom Spot Lights
 - Surface COB Spot Lights
 - MR 16 Modules
- **11 Eco LED Track Lights**
 - Track Lights
 - Track Rail
- **13 Eco Linear Modular Lights**
- **14 Eco LED Junction Lights**
 - Glow Series
 - Ray Series
 - Aura Series
- **15 Eco LED Striker Lights**
 - Pocket Series
 - Brisk Series
 - 2 in 1 colour LED Striker Lights
 - Button Glister Series
- **17 Eco LED Strip Lights**
- **18 Eco Linear Led Profile Lights**
- **26 Eco Flood Lights**
 - Dazzle Series
 - Radiant Series
 - Star Series
 - Shine Series
- **28 Eco Street Lights**
 - Blaze Series
 - Lens Series
 - Baron Series
 - Capsule Series
- **30 Eco Highbay Lights**
 - Pan Series
 - UFO Series
- **31 Eco Spike & Bulk Head Lights**
 - Spike Lights
 - Bulk Heads
- **32 Eco Garden Lights**
 - Bollards
 - Gate Lights
- **33 LED Brands that we use**

Eco | LED Bulbs




Upto
87%
Energy Saving

LED **9W** To replace Incandescent **60W**

Conventional Wattage Range

Model No.	Wattage	CCT
AJ-BLB000-01	0.5 W	WW / NW / CW / R / G / B / Y
AJ-BLB000-02	05 W	WW / NW / CW
AJ-BLB000-03	07 W	WW / NW / CW
AJ-BLB001-01	09 W	WW / NW / CW
AJ-BLB001-02	09 W	R / G / B
AJ-BLB001-03	09 W	3 in 1 CCT Switchable
AJ-BLB000-04	12 W	WW / NW / CW
AJ-BLB002-01	15 W	WW / NW / CW
AJ-BLB002-02	15 W	R / G / B
AJ-BLB002-03	15 W	3 in 1 CCT Switchable
AJ-BLB000-05	18 W	WW / NW / CW



Heavy Wattage Range

Model No.	Wattage	CCT
AJ-BLB003-01	30 W	WW / NW / CW
AJ-BLB003-02	40 W	WW / NW / CW
AJ-BLB003-03	50 W	WW / NW / CW

Wide Input Voltage Range

High Power Factor

Surge Protection

High Lumens

Long Life

Eco

AC-DC Rechargeable Bulb



P.F > 0.9

Surge > 2.5kV

4Hrs Battery

AC 100 - 305V

POWER OUT, LIGHT ON!

Model No.	Wattage	CCT
AJ-RBL001-01	09 W	CW
AJ-RBL001-02	12 W	CW



Wide Input Voltage Range

High Power Factor

Surge Protection

High Lumens

Long Life


Eco | LED Tube Lights

T5 Series

Model No.	Wattage	CCT	Lumens
AJ-TBL001-01	06 W	WW / NW / CW	100
AJ-TBL001-02	09 W	WW / NW / CW	100
AJ-TBL001-03	20 W	WW / NW / CW	100
AJ-TBL001-04	24 W	WW / NW / CW	100
AJ-TBL001-05	20 W	R / G / B	100
AJ-TBL001-06	20 W	3 IN 1 Switchable	100

Upto
85%
Energy Saving

LED 20w To replace Incandescent 120w



T8 Series

Model No.	Wattage	CCT	Lumens
AJ-TBL002-01	36 W	WW / NW / CW	100

- Wide Input Voltage Range
- High Power Factor
- Surge Protection
- High Lumens
- Long Life

Eco | Panel Lights



Recessed Backlit PC Panel Lights (Round / Square)

Model No.	Wattage	Shape	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-PLP001-01	03 W	Round / Square	WW NW CW	82X35	65
AJ-PLP001-02	06 W	Round / Square	WW NW CW	115X35	100
AJ-PLP001-03	08 W	Round / Square	WW NW CW	120X35	102
AJ-PLP001-04	15 W	Round / Square	WW NW CW	145X35	132
AJ-PLP001-05	20 W	Round / Square	WW NW CW	145X35	132
AJ-PLP001-06	22 W	Round / Square	WW NW CW	220X35	200

*Ring available separately for surface mounting

Wide Input Range

High Power Factor

High Surge Protection

High Lumens

Wallet Friendly

Light Leakage Free

High CRI

Eco | Panel Lights



Recessed Edgelit Aluminium Panel Lights (Round / Square)

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-200-RP-03W	03W	WW / NW / CW	90 X 35	75
AJ-200-RP-06W	06W	WW / NW / CW	115 X 35	105
AJ-200-RP-09W	09W	WW / NW / CW	145 X 35	130
AJ-200-RP-12W	12W	WW / NW / CW	170 X 35	150
AJ-200-RP-15W	15W	WW / NW / CW	170 X 35	150
AJ-200-RP-18W	18W	WW / NW / CW	220 X 35	200
AJ-200-RP-24W	24W	WW / NW / CW	300 X 35	280
AJ-200-RP-06W	06W	3 IN 1 CCT Switchable	120 X 25	100
AJ-200-RP-12W	12W	3 IN 1 CCT Switchable	170 X 25	150



Surface Edgelit Aluminium Panel Lights (Round / Square)

Model No.	Wattage	CCT	Fixture Dimensions (mm)
AJ-200-SP-06W	06 W	WW / NW / CW	120 X 25
AJ-200-SP-12W	12 W	WW / NW / CW	170 X 25
AJ-200-SP-15W	15 W	WW / NW / CW	170 X 25
AJ-200-SP-18W	18 W	WW / NW / CW	225 X 25
AJ-200-SP-24W	24 W	WW / NW / CW	300 X 25
AJ-200-SP-12W	12 W	3 IN 1 CCT Switchable	170 X 25

Wide Input Range

High Power Factor

High Surge Protection


High Lumens

Wallet Friendly

Light Leakage Free

High CRI

Eco | Panel Lights



2 in 1 Colour LED Panel Lights Recessed Aluminium (Round / Square)

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-PLA006-01	03 + 03 W	(WW/NW/CW) + Green/Blue	100 X 10	75 X 10
AJ-PLA006-02	06 + 03 W	(WW/NW/CW) + Green/Blue	150 X 10	110 X 10
AJ-PLA006-03	18 + 06 W	(WW/NW/CW) + Green/Blue	240 X 10	210 X 10

Wide Input Range

High Power Factor

High Surge Protection


High Lumens

Wallet Friendly

Light Leakage Free

High CRI

Eco | Panel Lights



Flat Panel Lights (Square/Rectangle)

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-154-PAL33-24W	24W	WW / NW / CW	300 X 300	295X295
AJ-154-PAL36-24W	24W	WW / NW / CW	300 X 600	295X595
AJ-154-PAL66-40W	40W	WW / NW / CW	600 X 600	595X595
AJ-154-PAL66-48W	48W	WW / NW / CW	600 X 600	595X595
AJ-154-PAL312-48W	48W	WW / NW / CW	300 X 1200	295X1195

Wide Input Range

High Power Factor

High Surge Protection

High Lumens

Wallet Friendly

Light Leakage Free

High CRI

Eco | SMD Down Lights



Recessed Backlit Aluminium Down Lights (Round / Square)

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLA000-01	12 W	WW / NW / CW	110X50	100X50
AJ-DLA000-02	18 W	WW / NW / CW	143X50	133X50
AJ-DLA000-03	24 W	WW / NW / CW	166X50	155X50

Wide Input
Range

High
Power Factor

High Surge
Protection

High
Lumens

Wallet
Friendly

Light
Leakage Free

High
CRI

Eco | COB Spot Lights

Adjustable COB Spot Lights (Aluminium)

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLA001-01	03 W	WW / NW / CW	70 X 52	55
AJ-DLA001-02	07 W	WW / NW / CW	75 X 65	65
AJ-DLA001-03	12 W	WW / NW / CW	85 X 74	75
AJ-DLA001-04	18 W	WW / NW / CW	95 X 93	85
AJ-DLA010-01	04 W	WW / NW / CW	68 X 50	55
AJ-DLA010-02	07 W	WW / NW / CW	90 X 70	75
AJ-DLA010-03	12 W	WW / NW / CW	90 X 90	75
AJ-DLA010-04	18 W	WW / NW / CW	108 X 100	90
AJ-DLA010-05	30 W	WW / NW / CW	138 X 130	120
AJ-DLA010-06	36 W	WW / NW / CW	138 X 130	120



Adjustable COB Spot Lights (PC)

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLP001-01	03 W	WW / NW / CW	80 x 40	55
AJ-DLP001-02	06 W	WW / NW / CW	105 X47	80

Deep Cone Spot Lights

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLA002-01	06 W	WW / NW / CW	40 X 55	35
AJ-DLA002-02	12 W	WW / NW / CW	59 X 82	55
AJ-DLA002-03	18 W	WW / NW / CW	74 X 93	70



Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | COB Spot Lights

Omega Spot Lights

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLA005-01	07 W	WW / NW / CW	75	65
AJ-DLA005-02	12 W	WW / NW / CW	85	75
AJ-DLA005-03	18 W	WW / NW / CW	95	85



Luster Spot Lights

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLA003-01	07 W	WW / NW / CW	69 X 70	65
AJ-DLA003-02	12 W	WW / NW / CW	83 X 80	75
AJ-DLA003-03	18 W	WW / NW / CW	100 X 90	90
AJ-DLA004-01	15 W	WW / NW / CW	80 X 80	70
AJ-DLA004-02	15 W (With Rose Gold Reflector)	WW / NW / CW	80 X 80	70
AJ-DLA004-03 (Switch Controlled)	15 W	3 IN 1 CCT Switchable	80 X 80	70
AJ-DLA004-04 (Remote Controlled)	15 W	3 IN 1 CCT Switchable	80 X 80	70

Zoom Spot Lights

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLA009-01	18 W	WW / NW / CW	113	90
AJ-DLA009-02	25 W	WW / NW / CW	135	100
AJ-DLA009-03	30 W	WW / NW / CW	135	100



Wide Input
Range

High
Power Factor

High Surge
Protection

High
Lumens

Wallet
Friendly

Light
Leakage Free

High
CRI

Eco | COB Spot Lights



Surface COB Spot Lights

Model No.	Wattage	CCT	Fixture Dimensions (mm)
AJ-DLA008-01	08 W	WW / NW / CW	55 X 100
AJ-DLA008-02	15 W	WW / NW / CW	75 X 130
AJ-DLA008-03	15 W	3 IN 1 CCT Switchable	75 X 130



MR 16 Modules

Model No.	Wattage	CCT	Fixture Dimensions (mm)
AJ-DLA007-01	4-6 W	WW / NW / CW	50 X 65
AJ-DLA007-02	12-15 W	WW / NW / CW	50 X 65

Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | LED Track Lights

Track Lights

Model No.	Wattage	CCT	Fixture Dimensions (mm)
AJ-TKL001-01	10 W	WW / NW / CW	(D)50 x (H)135 mm
AJ-TKL001-02	15 W	WW / NW / CW	(D)65 x (H)160 mm
AJ-TKL001-03	18 W	WW / NW / CW	(D)65 x (H)160 mm
AJ-TKL001-04	24 W	WW / NW / CW	(D)75 x (H)185 mm



Track Rail

Model No.	Wattage
AJ-TKP001-01	1 Meter
AJ-TKP001-02	2 Meter

Wide Input Range


High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | Linear Modular Lights



Model No.	Wattage	CCT	Fixture Dimensions (mm)
AJ-DLA006-01	03 W	WW / NW / CW	45X45X50
AJ-DLA006-02	06 W	WW / NW / CW	75X45X50
AJ-DLA006-03	12 W	WW / NW / CW	148X45X50

Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | LED Junction Lights



Glow Series

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLP003-01	06 W	WW / NW / CW	145 X 55	80
AJ-DLP003-02	06 W	R/G/B/P	145 X 55	80
AJ-DLP003-03	06 W	3 IN 1 CCT Switchable	145 X 55	80



Ray Series

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLP004-01	04 W	WW / NW / CW	85 X 50	47
AJ-DLP004-02	04 W	R/G/B/P	85 X 50	47
AJ-DLP004-03	04 W	3 IN 1 CCT Switchable	85 X 50	47



Aura Series

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLP002-01	03 W	WW / NW / CW	108 X 60	80
AJ-DLP002-02	03 W	R/G/B/P	108 X 60	80
AJ-DLP002-03	03 W	3 IN 1 CCT Switchable	108 X 60	80



Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | LED Striker Lights



• Pocket Series

Model No.	Wattage	CCT	Fixture Dimensions (mm)	Cutout Dimensions (mm)
AJ-DLP005-01	04 W	WW / NW / CW	80 X 33	40



Brisk Series

Model No.	Wattage	CCT	Fixture Dimensions (mm)
AJ-DLP006-01	05 W	WW / CW	82 X 17
AJ-DLP006-02	05 W	R/G/B/P	82 X 17
AJ-DLP006-03	05 W	3 IN 1 CCT Switchable	82 X 17

Heavy Duty Housing

Easy Installation

Cost Effective

High Lumens

Long Life

Eco | LED Striker Lights



2 in 1 colour LED Striker Lights

Model No.	Wattage	CCT	Fixture Dimensions (mm)
AJ-PLP002-01	06 + 03 W	(WW/CW)+ Blue	82X17
AJ-PLP002-02	10 + 04 W	(WW/CW)+ Blue	122X18



Button Glister Series

Model No.	Wattage	CCT	Fixture Dimensions (mm)
AJ-DLP007-01	01 W	WW / NW / CW Y/P/G/B/R	40X22

Heavy Duty Housing

Easy Installation

Cost Effective

High Lumens

Long Life

Eco | LED Strip Lights



01

Model No.	LED Chip	Voltage	Lumen/Chip	LED/ mtr	Watt /mtr	PCB type	Colors
AJ-STR001-01	2835	12V	24-26	60	5W	8mm(3OZ double)	WW
AJ-STR001-02	2835	12V	24-26	60	5W	8mm(3OZ double)	NW
AJ-STR001-03	2835	12V	24-26	60	5W	8mm(3OZ double)	CW
AJ-STR001-04	2835	12V	24-26	60	5W	8mm(3OZ double)	Red
AJ-STR001-05	2835	12V	24-26	60	5W	8mm(3OZ double)	Green
AJ-STR001-06	2835	12V	24-26	60	5W	8mm(3OZ double)	Blue
AJ-STR001-07	2835	12V	24-26	60	5W	8mm(3OZ double)	Pink
AJ-STR001-08	2835	12V	24-26	60	5W	8mm(3OZ double)	Amber

02

AJ-STR002-01	2835	12V	24-26	120	14W	8mm(3OZ double)	WW
AJ-STR002-02	2835	12V	24-26	120	14W	8mm(3OZ double)	NW
AJ-STR002-03	2835	12V	24-26	120	14W	8mm(3OZ double)	CW
AJ-STR002-04	2835	12V	24-26	120	14W	8mm(3OZ double)	Red
AJ-STR002-05	2835	12V	24-26	120	14W	8mm(3OZ double)	Green
AJ-STR002-06	2835	12V	24-26	120	14W	8mm(3OZ double)	Blue
AJ-STR002-07	2835	12V	24-26	120	14W	8mm(3OZ double)	Pink
AJ-STR002-08	2835	12V	24-26	120	14W	8mm(3OZ double)	Amber

03

AJ-STR003-01	2835	12V / 24V	24-26	180	16W	8mm(3OZ double)	WW
AJ-STR003-02	2835	12V / 24V	24-26	180	16W	8mm(3OZ double)	NW
AJ-STR003-03	2835	12V / 24V	24-26	180	16W	8mm(3OZ double)	CW

04

AJ-STR004-01	2835	12V / 24V	24-26	240	20W	8mm(3OZ double)	WW
AJ-STR004-02	2835	12V / 24V	24-26	240	20W	8mm(3OZ double)	NW
AJ-STR004-03	2835	12V / 24V	24-26	240	20W	8mm(3OZ double)	CW

Heavy Duty
PCB (3OZ double)

High
CRI


High
Lumens

Long
Life

Eco Linear Led Profile Lights



AJ-PFA-013-01




End Caps





Metallic mounting clips



Suspension wire



Installation method



AJ-PFA-013-02




End Caps





Metallic mounting clips



Suspension wire




Installation method



Eco Linear Led Profile Lights




AJ-PFA-014-01



Installation method

Cover: PC/PMMA/Clear/Milky



End Caps



PMMA Opal



PC Milky



Metallic mounting clips



PC Frosted



PC Clear

AJ-PFA-015-01



Installation method

Cover: PC/PMMA/Clear/Milky



PMMA Opal



End Caps




Metallic mounting clips




Suspension wire



PC Milky





PC Frosted



PC Clear

AJ-PFA-015-02



Installation method

Cover: PC/PMMA/Clear/Milky



A Opal



End Caps



Metallic mounting clips



Suspension wire



PC Milky



PC Frosted



PC Clear

High Grade Aluminium



Elegant Design

High Performance Diffuser

Eco Linear Led Profile Lights




AJ-PFA-016-01




Installation method

Cover:PC/PMMA/Clear/Milky



Silver Black White





End Caps




Metallic mounting clips

AJ-PFA-016-02




Installation method


Cover:PC/PMMA/Clear/Milky



Silver Black White



End Caps



Metallic mounting clips

High Grade Aluminium

Elegant Design

High Performance Diffuser

Eco Linear Led Profile Lights




AJ-PFA-017-01



Cover: PC/Clear/Milky



End Caps



Silver Black White



PMMA Opal



PC Milky




PC Frosted



PC Clear

Installation method




AJ-PFA-017-02



Cover: PC/Clear/Milky



End Caps



Silver Black White



PMMA Opal



PC Milky




PC Frosted



PC Clear

Installation method





High Grade Aluminium


Elegant Design

High Performance Diffuser


Eco Linear Led Profile Lights




AJ-PFA-001-01




AJ-PFA-001-02




AJ-PFA-001-03




AJ-PFA-001-04




AJ-PFA-001-05




AJ-PFA-001-06




AJ-PFA-001-07



AJ-PFA-001-08



AJ-PFA-001-09



AJ-PFA-001-10




AJ-PFA-001-11



AJ-PFA-001-12




AJ-PFA-001-13




AJ-PFA-001-14



AJ-PFA-001-15



AJ-PFA-001-16




AJ-PFA-001-17

High Grade Aluminium

Elegant Design

High Performance Diffuser


Eco Linear Led Profile Lights




AJ-PFA-001-18




AJ-PFA-001-19




AJ-PFA-001-20




AJ-PFA-001-21




AJ-PFA-001-22




AJ-PFA-001-23




AJ-PFA-002-01




AJ-PFA-002-02




AJ-PFA-002-03



AJ-PFA-002-04




AJ-PFA-002-05



AJ-PFA-002-06




AJ-PFA-002-07




AJ-PFA-002-08



AJ-PFA-002-09




AJ-PFA-002-10




AJ-PFA-002-11

High Grade Aluminium | Elegant Design | High Performance Diffuser


Eco Linear Led Profile Lights



AJ-PFA-002-12




AJ-PFA-002-13




AJ-PFA-002-14




AJ-PFA-002-15



AJ-PFA-002-16




AJ-PFA-002-17



AJ-PFA-002-18




AJ-PFA-002-19




AJ-PFA-002-20




AJ-PFA-002-21




AJ-PFA-002-22



AJ-PFA-002-23




AJ-PFA-002-24




AJ-PFA-002-25



AJ-PFA-002-26



AJ-PFA-002-27





AJ-PFA-002-28

High Grade Aluminium


Elegant Design

High Performance Diffuser


Eco Linear Led Profile Lights



AJ-PFA-002-29




AJ-PFA-002-30




AJ-PFA-003-01



AJ-PFA-003-02




AJ-PFA-003-03




19MM/19MM

AJ-PFA-003-04




Unit:mm

AJ-PFA-004-01




Unit:mm

AJ-PFA-005-01




AJ-PFA-006-01




AJ-PFA-006-02



AJ-PFA-006-03



AJ-PFA-006-04



AJ-PFA-006-05



FOR 12FT LENGTH (3.6MTR)

AJ-PFA-007-01

8FT LENGTH (2.4MTR)

AJ-PFA-007-02


12FT LENGTH (3.6MTR)

AJ-PFA-008-01



8FT LENGTH (2.4MTR)

AJ-PFA-009-01




AJ-PFA-010-01



HANGING MODEL
(3MTR LENGTH)

AJ-PFA-011-01



AJ-PFA-012-01

High Grade Aluminium

Elegant Design

High Performance Diffuser

Eco | Flood Lights



Dazzle Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-FDL001-01	50 W	190 X 250 X 70
AJ-FDL001-02	100 W	280 X 220 X 70
AJ-FDL001-03	150 W	350 X 250 X 70



Radiant Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-FDL002-01	30 W	184 X 152 X 45
AJ-FDL002-02	50 W	228 X 192 X 45
AJ-FDL002-03	100 W	285 X 238 X 55
AJ-FDL002-04	150 W	345 X 285 X 70
AJ-FDL002-05	200 W	425 X 322 X 80



Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | Flood Lights

Star Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-FDL003-01	20 W	180 X 165 X 50
AJ-FDL003-02	30 W	180 X 165 X 50
AJ-FDL003-03	50 W	250 X 190 X 52
AJ-FDL003-04	100 W	350 X 230 X 55
AJ-FDL003-05	150 W	370 X 310 X 60
AJ-FDL003-06	200 W	370 X 310 X 60



Shine Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-FDL004-01	50 W	170 X 245 X 40
AJ-FDL004-02	100 W	210 X 270 X 40
AJ-FDL004-03	150 W	325 X 350 X 50

Eminence Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-FDL005-01	50 W	210 X 50 X 275
AJ-FDL005-02	100 W	290 X 50 X 240
AJ-FDL005-03	150 W	311 X 50 X 345
AJ-FDL005-06	300 W	361 X 51 X 407

Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | Street Lights



Blaze Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-STL003-01	20 W	103 X 325 X 55
AJ-STL003-02	30 W	145 X 380 X 60
AJ-STL003-03	50 W	145 X 380 X 60



Lens Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-STL004-01	20 W	305 X 117 X 50
AJ-STL004-02	24 W	305 X 117 X 50
AJ-STL004-03	36 W	360 X 127 X 55
AJ-STL004-04	50 W	410 X 160 X 55
AJ-STL004-05	100 W	640 X 220 X 60

Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | Street Lights

Baron Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-STL001-01	18 W	147 X 395 X 55
AJ-STL001-02	24 W	147 X 395 X 55
AJ-STL001-03	36 W	147 X 395 X 55
AJ-STL001-04	40 W	147 X 395 X 55
AJ-STL001-05	50 W	206 X 435 X 60
AJ-STL001-06	70 W	206 X 435 X 60



Capsule Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-STL002-01	24 W	330 X 80 X 66
AJ-STL005-02	36 W	325 X 83 X 50

Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | Highbay Lights

Pan Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-HYL001-01	50 W	Ø250 X 80
AJ-HYL001-02	100 W	Ø300 X 160
AJ-HYL001-03	150 W	Ø355 X 170



UFO Series

Model No.	Wattage	Fixture Dimensions (mm)
AJ-HYL002-01	100 W	Ø380 X 150
AJ-HYL002-02	150 W	Ø380 X 150
AJ-HYL002-03	200 W	Ø425 X 150
AJ-HYL002-04	250 W	Ø425 X 150
AJ-HYL002-05	300 W	Ø450 X 300



Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco Spike & Bulk Head Lights

Spike Lights

Model No.	Wattage	Fixture Dimensions (mm)
AJ-SKP001-01	10 W	95 X 110
AJ-SKP001-02	20 W	125 X 110



Bulk Heads



01

Model No.	Wattage	Fixture Dimensions (mm)	CCT
AJ-BLK001-01	12 W	230 X 100 X 70	(WW/CW/NW)
AJ-BLK001-02	12 W	230 X 100 X 70	(WW/CW/NW)



02

AJ-BLK002-01	12 W	170 X 70 X 45	(WW/CW/NW)
AJ-BLK002-02	12 W	170 X 70 X 45	(R/G/B/P)
AJ-BLK002-03	20 W	210 X 110 X 57	(WW/CW/NW)
AJ-BLK002-04	20 W	210 X 110 X 57	(R/G/B/P)



03

AJ-BLK003-01	15 W	Ø150 mm	(WW/CW/NW)
AJ-BLK003-02	20 W	Ø200 mm	(WW/CW/NW)



04

AJ-BLK004-01	15 W	Ø150 mm	(WW/CW/NW)
AJ-BLK004-02	20 W	Ø200 mm	(WW/CW/NW)

Wide Input Range

High Power Factor

High Surge Protection

High Lumens

High CRI

Eco | Garden Lights

Bollards

Model No.	Wattage	Fixture Dimensions (mm)
AJ-BLD001-01	12W - Mark 2	390 X 70
AJ-BLD001-02	12W - Triangular	545 X 70
AJ-BLD001-03	22W - Freedom	600 X 600 X 160



Eco | Gate Lights



Freedom

Model No.	Wattage	Fixture Dimensions (mm)	CCT (WW/CW/NW) (R/G/B/P)
AJ-GTL001-01	20 W	175 X 175 X 56	(WW/CW/NW) (R/G/B/P)



Glorious

Model No.	Wattage	Fixture Dimensions (mm)	CCT (WW/CW/NW) (R/G/B/P)
AJ-GTL001-02	20 W	Ø215	(WW/CW/NW) (R/G/B/P)



Ultima

Model No.	Wattage	Fixture Dimensions (mm)	CCT (WW/CW/NW) (R/G/B/P)
AJ-GTL002-01	20 W	175 X 175 X 56	(WW/CW/NW) (R/G/B/P)

Wide Input Range	High Power Factor	High Surge Protection	High Lumens	High CRI
------------------	-------------------	-----------------------	-------------	----------

LED

Brands that we use:



Inspire the Next Generation Lighting





Akhandjyot Energy & Power Products (Pvt) Ltd.

Regd. Office and Factory Address :

97 to 136/181/182/183, Shree Sharanya Ind. Estate, B/h. Sarvoday Hotel, Moraiya, Changodar, Ahmedabad : 382 213. Gujarat, India.

☎ +91 9016202586 ✉ info@akhandjyot.in 🌐 www.akhandjyot.in



Akhandjyot Energy & Power Products (Pvt) Ltd.

Sales Office : Shop # 50/1, BSR Towers, Lakshman Rao Road, Balepet Cross, Chickpet, Bengaluru : 560 053. Karnataka, India.

☎ +91 63526 94941 / 63526 94942 / 63526 94943 ✉ info@akhandjyot.in 🌐 www.akhandjyot.in



Akhandjyot 'Eclat (Pvt) Ltd.

Regd. Office :

Shop no : # 1790, Pada Pole, Gandhi Road, Ahmedabad : 380 001. Gujarat, India.

☎ 079-2215 5240 ✉ info@akhandjyot.in 🌐 www.akhandjyot.in



Eclat Energy & Infrastructure Solutions FZCO

Regd. Office :

Building 2E # 207, Dubai Airport Free Zone (DAFZA) Dubai, UAE.

✉ eclatenergyuae@gmail.com



Eclat Luminaires Electricals Trading LLC.

Branch Office:

Shop # 3, Inside Al Arti Plaza, Opp. Central Post Office, Zabeel Road, Al Karama, Dubai, UAE.

✉ eclatenergyuae@gmail.com



Eclat Energy, Power & Infrastructure Solutions Ltd.

Regd. Office :

Shop #6, 7 & 8, Plot #5106/7, Off Lumumba Road, Opp. FNB Finance Bank, Lusaka, Zambia.

✉ eclatenergyzambia@gmail.com



Eclat Energy & Infrastructure Solutions Africa Limited

Regd. Office :

P.O. Box 50282, G.P.O. Nairobi-Kenya Street: Uganda Road, Building: Eldoret Municipality Plot Nine Struck Twenty-Six, Nairobi.

✉ eclatenergykenya@gmail.com